

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/612,762	06/30/2003	Karl H. Mauritz	884.925US1	5893
21186 7590 10/31/2007 SCHWEGMAN, LUNDBERG & WOESSNER, P.A. P.O. BOX 2938			EXAMINER	
			JOSEPH, JAISON	
MINNEAPOLIS, MN 55402		ART UNIT	PAPER NUMBER	
			2611	
			MAIL DATE	DELIVERY MODE
			10/31/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summers	10/612,762	MAURITZ ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jaison Joseph	2611				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  16(a). In no event, however, may a reply be tim  will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONET	l. ely filed the mailing date of this communication. (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 15 At	igust 2007					
· - ·	action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-36 is/are pending in the application.						
4a) Of the above claim(s) 30-32 is/are withdraw	4a) Of the above claim(s) 30-32 is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>36</u> is/are allowed.						
6)⊠ Claim(s) <u>1-19,21-29 and 33-35</u> is/are rejected.						
7)⊠ Claim(s) <u>20</u> is/are objected to.	Claim(s) <u>20</u> is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119	•					
12)  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)  Paper No(s)/Mail Date.						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail Da 5) Notice of Informal P					
Paper No(s)/Mail Date 6) Other:						

Art Unit: 2611

# **DETAILED ACTION**

Claims 1 –36 are pending in the instant application.

Claims 30 – 32 are withdrawn from consideration.

#### Response to Arguments

Applicant's arguments filed 08/15/2007 have been fully considered but they are not persuasive.

Regarding claims 1, 3, 4, 8, 12, 13, 21 – 24, 26, 28, and 29, Applicant argue, "Applicant is unable to find, in Tabatabaei, a disclosure of all elements recited in the claims ... a second reference potential". However examiner respectfully disagrees. Tabatabaei does teach all the elements recited in above mentioned claims. Regarding claim 1, Tabatabaei teaches an article comprising: a first peak detector to generate an output in response to detection of a peak amplitude of a received signal at an input terminal (see figure 3, component 335 see input signal coming into the peak detector 335 and the output signal going to the amplifier 350); a first amplifier to compare the peak amplitude and a first reference potential (output of component 345) and generate a feedback signal coupled through a resistance to the input terminal (see figure 3, component 350, output received from the peak detector 335, and comparing the said output signal with reference input from the component 345 and generating the feedback signal couple through a resistance 355 to the input terminal 315); and a second amplifier to compare the received signal and a second reference potential (see figure 3, component 300, 305, 310, 320, 325 and see the inputs to 310 and 305, output signal out is determined by the comparison of gate potentials at transistors 305 and 310 and

Art Unit: 2611

second reference potential is at node 305). Thus Tabatabaei teaches all cited limitations. Therefore Examiner maintains the rejections of claims 1, 3, 4, 8, 12, 13, 21 – 24, 26, 28, and 29.

Regarding claims 7, 11, 14, 15, 18 and 19, Applicant argue, "Applicant respectfully traverses ... respect to the 102 rejection". However Examiner respectfully disagrees. For the same reasons as explained above, Tabatabaei teach all the cited limitations. Therefore Examiner maintains the rejection of claims 7, 11, 14, 15, 18 and 19. Furthermore, Applicant is reminded that the examiner is entitled to give broadest reasonable interpretation to the language of the claims.

Regarding claim 5, Applicant argue, "Applicant respectfully traverses ... shortcomings noted above". For the same reasons as explained above, Tabatabaei teach all the cited limitations. Therefore Examiner maintains the rejection of claim 5. Furthermore, Applicant is reminded that the examiner is entitled to give broadest reasonable interpretation to the language of the claims.

Regarding claims 6, 9, 10, 16, and 17, Applicant argue, "Applicant respectfully traverses ... shortcomings noted above". For the same reasons as explained above, Tabatabaei teach all the cited limitations. Therefore Examiner maintains the rejection of claims 6, 9, 10, 16, and 17. Furthermore, Applicant is reminded that the examiner is entitled to give broadest reasonable interpretation to the language of the claims.

Regarding claims 2, 25 and 27, Applicant argue, "Applicant respectfully traverses ... shortcomings noted above". For the same reasons as explained above, Tabatabaei teach all the cited limitations. Therefore Examiner maintains the rejection of claims 2, 25

Art Unit: 2611

and 27. Furthermore, Applicant is reminded that the examiner is entitled to give broadest reasonable interpretation to the language of the claims.

Regarding claims 33 – 35, Applicant argue, "Applicant respectfully traverses ... shortcomings noted above". For the same reasons as explained above, Tabatabaei teach all the cited limitations. Therefore Examiner maintains the rejection of claims 33 – 35. Furthermore, Applicant is reminded that the examiner is entitled to give broadest reasonable interpretation to the language of the claims.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1, 3, 4, 8, 12, 13, 21 – 24, 26, 28, and 29 are rejected under 35 U.S.C. 102(e) as being anticipated by Tabatabaei (US Patent 6,784,740).

Regarding claim 1, Tabatabaei teaches an article comprising: a first peak detector to generate an output in response to detection of a peak amplitude of a received signal at an input terminal (see figure 3, component 335 see input signal coming into the peak detector 335 and the output signal going to the amplifier 350); a first amplifier to compare the peak amplitude and a first reference potential and

Art Unit: 2611

generate a feedback signal coupled through a resistance to the input terminal (see figure 3, component 350, output received from the peak detector 335, and comparing the said output signal with reference input from the component 345 and generating the feedback signal couple through a resistance 355 to the input terminal 315); and a second amplifier to compare the received signal and a second reference potential (see figure 3, component 300, 305, 310, 320, 325 and see the inputs to 310 and 305, output signal *out* is determined by the comparison of gate potentials at transistors 305 and 310).

Regarding claim 3, which inherits the limitations of claim 1, Tabatabaei further teaches further including a capacitor coupled to the input terminal to provide isolation (see figure 4, component 404).

Regarding claim 4, which inherits the limitations of claim 1, Tabatabaei further teaches wherein the first peak detector includes a maximum high-level peak detector (see figure 3, component 335).

Regarding claim 8 Tabatabaei teaches a circuit comprising: a feedback amplifier (see figure 3, component 350) having a feedback output (output of component 350) and a first feedback input (input signal received from component 335) and having a second feedback input to couple with a first reference potential (see figure 3, input received from component 345); a peak detector (figure 3, component 335) having a detector output coupled to the first feedback input (see figure 3, output of 335 is coupled to component 350) and having a detector input (see figure 3, input to component 335); a feedback circuit coupled to the feedback output and coupled to the detector input (see

Art Unit: 2611

figure 3, component 355 and node 315); and a receiver amplifier having a first receiver input coupled to the detector input and having a second receiver input adapted to couple with a second reference potential (see figure 3, component 300, 305, 310, 320, 325 and see the inputs to 310 and 305, output signal *out* is determined by the comparison of gate potentials at transistors 305 and 310).

Regarding claim 12, Tabatabaei teaches a system comprising: a driver having a primary output terminal (see figure 4, the RF signal); a receiver having a primary input terminal coupled to the primary output terminal (see figure 4, RF in signal); a primary peak detector coupled to the primary input terminal and having a primary peak an output amplifier having a first amplifier input coupled to the primary input terminal and a second amplifier input coupled to a first reference potential (see component 400); a primary feedback amplifier having a first primary feedback input coupled to the primary peak output and a second primary feedback input coupled to a second reference potential and having a primary feedback output (see figure 4, component 422); and a primary feedback circuit coupled to the primary feedback output and coupled to the primary input terminal (see figure 4, component 432).

Regarding claim 13, which inherits the limitations of claim 12, Tabatabaei further teaches further including a capacitor between the primary output terminal and the primary input terminal (see figure 4, component 404).

Regarding claim 21, Tabatabaei teaches a method comprising: detecting a peak amplitude of an input signal (see figure 3, component 335); generating a feedback signal as a function of a comparison of the peak amplitude and a first reference

Art Unit: 2611

potential (see figure 3, component 335, 350, 355, 315); biasing the input signal with the feedback signal 9see figure 3, component 330); and generating an output signal as a function of a comparison of the input signal and a second reference potential (see figure 3, component 3, the output signal and component 300, 305, 310, 320, 325 and see the inputs to 310 and 305, output signal *out* is determined by the comparison of gate potentials at transistors 305 and 310).

Regarding claim 22, which inherits the limitations of claim 21, Tabatabaei further teaches wherein detecting the peak includes detecting a peak high value (see figure 3, and column 2, lines 52 – column 4, lines 3).

Regarding claim 23, which inherits the limitations of claim 21, Tabatabaei further teaches wherein generating the feedback signal includes generating an amplified signal based on a differential between the peak and the first reference level (see figure 3, and column 2, lines 52 – column 4, lines 3).

Regarding claim 24, which inherits the limitations of claim 21, Tabatabaei further teaches wherein detecting the peak in the input signal includes receiving the input signal from a signal source and further including receiving the second reference potential from the signal source (see figure 3, and column 2, lines 52 – column 4, lines 3).

Regarding claim 26, Tabatabaei teaches a method comprising: receiving a first reference potential (see figure 3, input signal); sampling an input signal relative to the first reference potential (see figure 3, component 350); generating a correction signal based on a peak amplitude in the sampled input signal (see figure 3, component 330);

Art Unit: 2611

and biasing the input signal as a function of the correction signal (see figure 3, component 330 and column 2, lines 52 – column 4, lines 3).

Regarding claim 28, which inherits the limitations of claim 26, Tabatanaei further teaches wherein generating the correction signal based on the peak amplitude in the sampled input signal includes detecting the maximum high value in the sampled input signal (see figure 3, and column 2, lines 52 – column 4, lines 3).

Regarding claim 29, which inherits the limitations of claim 26, Tabatabaei further teaches wherein biasing includes generating a differential amplified signal based on a comparison of the peak amplitude and a second reference potential (see figure 3, and column 2, lines 52 – column 4, lines 3).

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 7, 11, 14, 15, 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tabatabaei (US Patent 6,784,740).

Regarding claim 7, 11, and 14, Tabatabaei further teaches inludign a filter coupled to the amplifier (see figure 3, component 355 and figure 4, component 432 and column 3, lines 56 – 65). Tabatabaei further teaches component 355 is coupled to the first amplifier and is used to allow only low frequency or DC component to pass through

Art Unit: 2611

(see column 3, lines 56 - 65), which is functional equivalent to a low pass filter. Therefore it would be obvious to an ordinary skilled in the art at the time the invention was made to use a RF choke to limit the bandwidth.

Regarding claim 15, which inherits the limitations of claim 14, Tabatabaei disclose the claimed invention except for having the filter includes a capacitor. It would have been obvious to an ordinary skilled in art at the time the invention was made to have a filter with a capacitor since it was known in the art that using capacitors as filters since capacitor filters are inexpensive and simple to design.

Regarding claim 18 and 19, which inherits the limitations of claim 12, Tabatabaei does not expressly teach the input terminal is coupled to output terminal by a cable or by a backplane. At the time the invention was made, it would have been obvious to a person if ordinary skilled in the art to have system provide having an input terminal coupled to output terminal by a cable or backplane. Applicant has not disclosed that coupling input terminal with output terminal by a cable or backplane provides an advantage, is used for a particular purpose, or solves a stated problem. Therefore it would have been obvious to one of ordinary skilled in the art to modify Tabatabaei to obtain the invention as specified in claims 18 and 19.

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Tabatabaei (US Patent 6,784,740) in view of Buchanan et al. (US Patent 4,550,342).

Regarding claim 5, which inherits the limitations of claim 1, Tabatabaei dies not expressly teach the first peak detector includes a minimum level peak detector.

However, Buchanan et al teach a DC offset correction circuit having a negative peak

Art Unit: 2611

detector (see figure 2, and column 3, lines 9 – column 4, line 25). Therefore it would be obvious to an ordinary skilled in the art at the time the invention was made to use a negative peak detector in place of the Tabatabaei's peak detector. The motivation or suggestion to do so is that the negative peak detector does not tend to saturate and does not require a reset function to prevent saturation.

Claims 6, 9, 10, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tabatabaei (US Patent 6,784,740) in view of Takahashi et al (USPAP 2003/0128558).

Regarding claim 6, 9, 10, 16 and 17 Tabatabaei does not expressly teach resistance includes a transistor. However it is well known in the art to use a transistor for resistance. Further Tabatabaei further teaches the component 355 can be realized by using other devices. And further Takahashi et al teach functions of inductors and resistors can be realized by using transistors. Therefore it would be obvious an ordinary skilled in the art at the time the invention was made to use a transistor for resistance. The motivation or suggestion to do so is to incorporate the circuit in a single substrate.

Claims 2, 25 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tabatabaei (US Patent 6,784,740) in view of Khorram et al (US 2004/0190650) and further in view of Karsh et al (US Patent 4,641,324).

Regarding claim 2, which inherits the limitations of claim 1, Tabatabaei is cited as explained in the above paragraph. Tabatabaei does not expressly teach having a maximum level detector, minimum level detector, and a voltage divider to provide the second reference signal. However Khorran et al teach a maximum level detector, and a

Art Unit: 2611

minimum level detector, each having an output coupled by a circuit to provide a reference potential (see figure 8, components 104, 106, 108, 111). Khorram et al uses summing and scaling means to generate the reference potential of the voltage divider, such a difference is a matter of design choice. The usage of voltage divider to generate reference potential is well known in the art as shown in the Karsh et al. Therefore it would have been obvious to one ordinary skilled in the art at the time the invention was made to generate a reference potential through max and min peak values of the input signal in order to provide a most appropriate reference point for DC offset compensation.

Regarding claim 25, which inherits the limitations of claim 21, the claimed method including the features that correspond to subject matter mentioned above in the rejection of claim 2 is applicable hereto.

Regarding claim 27, which inherits the limitations of claim 26, the claimed method including the features that correspond to subject matter mentioned above in the rejection of claim 2 is applicable hereto.

Claims 33 – 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tabatabaei (US Patent 6,784,740) in view of Chen et al (US Patent 6,691,203).

Regarding claim 33, Tabatabaei is cited as explained in the above paragraph in the rejection of claim 1. Tabatabaei does not expressly teach the use of RISC. Such use of RISC is well known in the art (see Chen et al column 6, lines 5 – 15). Therefore it would be obvious to an ordinary skilled in the art at the time the invention was made to

RISC with the system described above. The motivation or suggestion to do so is to further simplify the system.

Regarding claim 34, which inherits the limitations of claim 33, Tabatabaei in view of Chen et al does not expressly teach the output having an unbalanced duty cycle. At the time the invention was made, it would have been obvious to a person if ordinary skilled in the art to have system provide an output signal having an unbalanced duty cycle. Applicant has not disclosed that providing an output signal having an unbalanced duty cycle provides an advantage, is used for a particular purpose, or solves a stated problem. Therefore it would have been obvious to one of ordinary skilled in the art to modify Tabatabaei in view of Chen to obtain the invention as specified in claim 34.

Regarding claim 35, which inherits the limitations of claim 33, Tabatabaei further teaches providing a single ended signal (see figure 3).

#### Allowable Subject Matter

Claim 36 is allowable over prior art of record.

Claim 20 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/612,762 Page 13

Art Unit: 2611

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jaison Joseph whose telephone number is (571) 272-6041. The examiner can normally be reached on M-F 9:30 - 6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on (571) 272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/612,762 Page 14

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jaison Joseph 10/26/2007

> CHIEH M. FAN SUPERVISORY PATENT EXAMINER